

Nationwide House Energy Rating Scheme* — Class 2 summary



Certificate number: 11220001 Date of certificate: 12 April 2014 ★ Average star rating: 6.5

Assessor details

Accreditation number: **12345678**
 Name: **Fred Williams**
 Organisation: **Capital Building Assessors**
 Email: **frederick.williams@cbassessors.com.au**
 Phone: **1234 567 890**
 Declaration of interest: **Employed by designer of the building**
 Software: **FirstRate5 v5.5.11**
 AAO: **ABSA**

Dwelling details

Address: **237 Edwina Mountbatten Drive**
 Suburb: **West Wyndham**
 State: **NSW**
 Postcode: **2345**

Summary of all dwellings

6.5
Average rating

NATIONWIDE HOUSE
ENERGY RATING SCHEME

The rating listed above is the average of all units in this building.

For more information on your dwelling's rating see:
www.nathers.gov.au

Certification details

Certificate number	Unit number	Annual thermal performance loads (MJ/m ²)			Star rating
		Heating load	Cooling load	Total load	
11220001_001	1	102	40	142	6.5
11220001_002	2	100	35	135	7
11220001_003	3	111	43	154	6
11220001_004	4	111	43	154	6
11220001_005	5	100	35	135	7
11220001_006	6	111	43	154	6.5
11220001_007	7	102	40	142	6.5
11220001_008	8	100	35	135	7
11220001_009	9	111	43	154	7
11220001_010	10	111	43	154	6
11220001_011	11	100	35	135	6.5
11220001_012	12	111	43	154	7
11220001_013	13	102	40	142	6
11220001_014	14	100	35	135	6
11220001_015	15	111	43	154	7
11220001_016	16	111	43	154	6.5
11220001_017	17	100	35	135	6.5
11220001_018	18	111	43	154	7

continued

Nationwide House Energy Rating Scheme* — Class 2 summary

Certificate number: 11220001

Date of certificate: 12 April 2014

★ Average star rating: 6.5



Summary of all dwellings continued

Certification details continued

Certificate number	Unit number	Annual thermal performance loads (MJ/m ²)			Star rating
		Heating load	Cooling load	Total load	
11220001_019	19	102	40	142	7
11220001_020	20	100	35	135	6
11220001_021	21	111	43	154	6.5
11220001_022	22	111	43	154	7
11220001_023	23	100	35	135	6
11220001_024	24	111	43	154	6
11220001_025	25	102	40	142	7
11220001_026	26	100	35	135	6.5
11220001_027	27	111	43	154	6.5
11220001_028	28	111	43	154	7
11220001_029	29	100	35	135	7
11220001_030	30	111	43	154	6
11220001_031	31	102	40	142	6.5
11220001_032	32	100	35	135	7
11220001_033	33	111	43	154	6
11220001_034	34	111	43	154	6
11220001_035	35	100	35	135	7
11220001_036	36	111	43	154	6.5
11220001_037	37	102	40	142	6.5
11220001_038	38	100	35	135	7
11220001_039	39	111	43	154	7
11220001_040	40	111	43	154	6
11220001_041	41	100	35	135	6.5
11220001_042	42	111	43	154	7
11220001_043	43	102	40	142	6
11220001_044	44	100	35	135	6
11220001_045	45	111	43	154	7
11220001_046	46	111	43	154	6.5
11220001_047	47	100	35	135	6.5
11220001_048	48	111	43	154	7
11220001_049	49	102	40	142	7
11220001_050	50	100	35	135	6
This building achieves an average star rating of:					6.5